

## Studies using the OHSU Oral Wear Simulator

Adhab H, In vitro evaluation of wear properties of six orthodontic thermoplastic retainer materials, OHSU Thesis, 2016.

Alghamdi WS, Labban N, Maawadh A, Alsayed HD, Huda Alshehri H, Alrahlah A, Alnafaiy SM, Influence of Acidic Environment on the Hardness, Surface Roughness and Wear Ability of CAD/CAM Resin-Matrix Ceramics, *Ceramics. Materials* 2022, 15, 6146.

Amer R, Kürklü D, Johnston W; Effect of simulated mastication on the surface roughness of three ceramic systems, *J Prosthet Dent*, 2015 Aug;114(2):260-5.

Braga RR, Condon JR, Ferracane JL. In vitro wear simulation measurements of composite versus resin-modified glass ionomer luting cements for all-ceramic restorations. *J Esthet Restor Dent*. 2002;14(6):368-76.

Cha HS, Lee YK, Lim BS, Rhee SH, Yang HC, Evaluation of Wear Resistance of Dental Resin Composites with a 3D Profilometer, *J Biomed Mater Res B Appl Biomater*, 2004 Nov 15;71(2):414-20

Clelland NL , Agarwala V, Knobloch LA, Seghi RR Wear of enamel opposing low-fusing and conventional ceramic restorative materials *J Prosthodont* 2001 Mar;10(1):8-15.

Clelland NL, Agarwala V, Knobloch LA, Seghi RR, Relative wear of enamel opposing low-fusing dental porcelain, 26 July 2004 *J Prosth*

Clelland NL, Pagnotto MP, Kerby RE, Seghi RR, Relative wear of flowable and highly filled composite, J Prosth Dent 93(2), P153-157, February 2005

Condon JR, Ferracane JL. Evaluation of composite wear with a new multi-mode oral wear simulator. Dent Mater. 1996 Jul;12(4):218-26

Condon JR, Ferracane JL, In vitro Wear of Composite with Varied Cure, Filler Level, and Filler Treatment, J Dent Res 76(7): 1405-1411, July, 1997

Condon JR, Ferracane JL, Factors affecting composite wear in vitro, J Biomed Mater Res 1997 Winter;38(4):303-13.

Condon JR, Ferracane JL, Effect of antagonist type and diameter on wear of direct composite, IADR Abstract #...2002,

Da Cunha MR, Puppini-Rontani RM, Ferracane JL, Correr-Sobrinho L, In vitro wear evaluation of dental materials in primary teeth, Am J Dent . 2006 Dec;19(6):364-9.

Dowling AH, Fleming JPG, The impact of montmorillonite clay addition on the in vitro wear resistance of a glass-ionomer restorative, J Dent 35, 2007, pp 309-317.

Fareed MA, Stamboulis A, Nanoclay-Reinforced Glass-Ionomer Cements: In Vitro Wear Evaluation and Comparison by Two Wear-Test Methods Dent. J. 2017, 5, 28;

Ferracane JL, Condon JR. In vitro evaluation of the marginal degradation of dental composites under simulated occlusal loading. Dent Mater. 1999 Jul;15(4):262-7

Findlay N, Fleming GP, The in vitro wear behavior of experimental resin-based composites derived from a commercial formulation, *Dental Materials*, Volume 29, Issue 4, April 2013, Pages 365-374

Fleming GJP, Reilly E, Dowling A, Addison O. Data acquisition variability using profilometry to produce accurate mean total volumetric wear and mean maximum wear depth measurements for the OHSU oral wear simulator. *Dent Mater* Aug 2016, 32(8), p176-84).

Fleming GJP, The accuracy and precision of wear testing and wear facet analyses: The two sides of the story, *Dental Materials*, in press, 2024.

Heintze SD, Zappini G, Rousson V, Wear of ten dental restorative materials in five wear simulators—Results of a round robin test *Dental Materials* (2005) 21, 304–317

Heintze SD, Zellweger G, Cavalleri A, Ferracane JL, Influence of the antagonist material on the wear of different composites using two different wear simulation methods *Dental Materials* (2006) 22, 166–175

Heintze SD, Faouzi M, Rousson V, Özcan M, Correlation of wear in vivo and six laboratory wear methods, *dental materials* 28 ( 2 0 1 2 ) 961–973

Jain VV, Evaluation of second generation indirect composite resins, IUPUI Thesis, 2008

Kaizer MR, Moraesc RR, Cavad SS, Zhang Y, The progressive wear and abrasiveness of novel graded glass/zirconia materials relative to their dental ceramic counterparts. *Dental Materials*, 35(2019), 763-771.

Kelly R, Future of dental biomaterials: Gazing into Bob's crystal ball, *J Pros Dent*, 2020.

Lambrechts P, Debels E, Kirsten Van Landuyt K, Peumans M, Van Meerbeek B, How to simulate wear? Overview of existing methods, *Dent Mat* 22 ( 2006 ) 693–701

Lim BS, Ferracane JL, Condon JR, Adey JD Effect of filler fraction and filler surface treatment on wear of microfilled composites. *Dent Mater*. 2002 Jan;18(1):1-11

Loo CA, Measurement of Volumetric and Vertical Wear of Printed Polymer Resin and Milled Polymer Infused Ceramic Network Final Restorative Materials, OSU Thesis 2023

Musanje L, Ferracane JL, Ferracane LL, Effects of Resin Formulation and Nanofiller Surface Treatment on *In Vitro* Wear of Experimental Hybrid Resin Composite *J Appl Biom Mat Res*, B, 77b(1), 2006

Passos SP, de Freitas AP, Iorgovan G, Rizkalla AS, Santos MJ, Santos Júnior GJ, Enamel wear opposing different surface conditions of different CAD/CAM ceramics, *Quintessence Int* 2013 Nov-Dec;44(10):743-51

Puppini GMC, Bruschi Alonso RC, Corrêa Sobrinho L, Puppini-Rontani RM, Jack Libório Ferracane JL, In Vitro Wear of Resin-Based Materials—Simultaneous Corrosive and Abrasive Wear *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 2006 Jul;78(1):105-14

Sorensen JA, Sultan E, Condon JR. Three-body in vitro wear of enamel against dental ceramics. *J Dent Res*. 1999;78:205. Abstract 909.

Turssi CP, Ferracane JL, Vogel K, Filler features and their effects on wear and degree of conversion of particulate dental resin composites *Biomaterials* 26 (2005) 4932–4937

Turssi, CP, Ferracane JI, Ferracane LL, Wear and Fatigue Behavior of Nano-Structured Dental Resin Composites, *J Biomed Mater Res Part B: Appl Biomater* 78B: 196–203, 2006

Vardhaman S, Borba M, Kaizer MR, Kim K, Zhang Y, Wear behavior and microstructural characterization of translucent multilayer zirconia. *Dent Mater.* 2020; 36(11): 1407–1417.

Xie D, Zhao J, Weng Y, A High-Strength Cement System for Improved Dental Restoratives, *Journal of Materials Science and Chemical Engineering*, 2014, 2, 1-15

Zhao J, Weng Y, Xie D, Synthesis and application of a novel star-hyperbranched poly(acrylic acid) for improved dental restoratives, *J. Biomedical Science and Engineering*, 2010, 3, 1050-1060.

Zhao J, Yiming Weng Y, Xie D, In vitro wear and fracture toughness of an experimental light-cured glass-ionomer cement, *Dent Mat* 25 ( 2009 ) 526–534

Zhao J, Xie D, A novel hyperbranched poly(acrylic acid) for improved resin-modified glass-ionomer restoratives, *Dent Mat* 27 ( 2011 ) 478–486

Yamazaki T, Brantley W, Culbertson B, Seghi R, Schricker S, The measure of wear in *N*-vinyl pyrrolidinone (NVP) modified glass-ionomer cements, *Polym. Adv. Technol.* 2005; 16: 113–116

Yesil ZD, Alapati S, Johnston W, Robert R. Seghi RR, Evaluation of the wear resistance of new nanocomposite resin restorative materials, *J Prosth*, 99(6), p 435-443.